



**CRUSHPROOF TUBING CO.**

*Delivering quality farm  
tubes for over 50 years!*

# FARM TUBING SOLUTIONS

**Stock Seed / Fertilizer Tubes &  
custom designs for all applications.**



**[www.CRUSHPROOF.com](http://www.CRUSHPROOF.com)**





**CRUSHPROOF TUBING CO. 800.654.6858 [crushproof.com](http://crushproof.com)**

## **FARM TUBE SOLUTIONS**

**MADE IN THE USA**



### ***AN AMERICAN COMPANY***

Since our founding in 1949, we have been dedicated to producing quality products at our manufacturing facility in McComb, Ohio. Seed and fertilizer tubes are an important product line for us, and we are very proud to be a part of the agricultural community.

Our rubber tubes are of the highest quality, and can be expected to last many years in even the most extreme cold and blazing heat. Our track record is unsurpassed in the industry, and we are trusted suppliers to some of the biggest names in farm equipment.

### ***WHAT WE MAKE***

We specialize in stretchable, bellows-like tubes and long tapered tubes that are used on planters and fertilizers. Our parts are used on a variety of machines from multiple manufacturers. Our process is unique. We don't use molds, and we don't charge for setup fees for custom runs. Over the years we've discovered that there are certain size tubes that fit multiple machines. We do stock those parts and sell them through our distribution network. Some of our distributors have added custom parts to their assortment as well.

The following pages will show the dimensions of our stock parts and describe our custom options for OEM's. Please feel free to contact us if you need any further information.





CRUSHPROOF TUBING CO. 800.654.6858 [crushproof.com](http://crushproof.com)

## Seed & Fertilizer Tubes

MADE IN THE USA



**D132**


Min/Max Length: 9" to 21"  
Overall ID: 1.5"  
Cuff 1: 2.06" ID x 1.25" long  
Cuff 2: 2.06" ID x 1.25" long  
32 Convolutions



**U-115E**


Min/Max Length: 14" to 30"  
Overall ID: 1.25"  
Cuff 1: 1.25" ID x 1.0" long  
Cuff 2: 2.25" ID x 2.25" long  
60 Convolutions

Min/Max Length: 9.5" to 26"  
Overall ID: 1.25"  
Cuff 1: 2.0" tapered x 1.75" L  
Cuff 2: 1.38" ID x 1.0" long  
42 Convolutions



**U-100**

Comes with:  
Clip, prong, &  
wire





**CRUSHPROOF TUBING CO. 800.654.6858 [crushproof.com](http://crushproof.com)**

## Seed & Fertilizer Tubes

MADE IN THE USA



**AC12**

Min/Max Length: 9.5" to 26"  
Overall ID: 1.25"  
Cuff 1: 1.25" ID x 1.0" long  
Cuff 2: 1.25" ID x 2.0" long  
42 Convolutions



**D130**

Min/Max Length: 8.5" to 22"  
Overall ID: 1.5"  
Cuff 1: 1.5" ID x 1.38" long  
Cuff 2: 2.06" ID x 1.5" long  
33 Convolutions



**C122**

Min/Max Length: 8" to 25"  
Overall ID: 1.5"  
Cuff 1: 1.63" ID x 1.0" long  
Cuff 2: 1.63" ID x 1.0" long  
34 Convolutions





CRUSHPROOF TUBING CO. 800.654.6858 [crushproof.com](http://crushproof.com)

## Seed & Fertilizer Tubes

MADE IN THE USA



**SD50**

Min/Max Length: 17.5" to 51"  
Overall ID: 1.25"  
Cuff 1: 1.25" ID x 1.75" long  
Cuff 2: 2.06" ID x 2.0" long  
85 Convolutions



**SD50-R**

Min/Max Length: 11" to 36"  
Overall ID: 1.25"  
Cuff 1: 1.25" ID x 1.75" long  
Cuff 2: Inserted washer  
62 Convolutions



**SD60-A**

Min/Max Length: 24.5" to 53"  
Overall ID: 1.25"  
Cuff 1: 1.25" ID x 1.75" long  
Cuff 2: 2.06" ID x 2.5" long  
115 Convolutions



**SD55-R**

Min/Max Length: 15.5" to 48"  
Overall ID: 1.25"  
Cuff 1: 1.25" ID x 1.75" long  
Cuff 2: Inserted washer  
85 Convolutions



**CRUSHPROOF TUBING CO. 800.654.6858 [crushproof.com](http://crushproof.com)**

## Seed & Fertilizer Tubes

MADE IN THE USA



### STRAIGHT TUBES



**TA20C**



**TA2158**



**TA17**



**TA20**

Length: 20"  
Top ID: 1 9/16"  
Bottom OD: 1.25" (notch)

Length: 20"  
Top ID: 1 5/8"  
Bottom OD: 1.25"

Length: 17"  
Top ID: 1 9/16"  
Bottom OD: 1.25"

Length: 20"  
Top ID: 1 9/16"  
Bottom OD: 1.25"

### OEM SOLUTIONS

Are you an agricultural OEM in need of a custom designed hose? We make custom parts for a wide variety of applications:"

**Seed Tubes**

**Fertilizer Tubes**

**Bellows**

**Protective Boots**

**Fluid Transfer**

**Flexible Auger Spouts**

**Air Intakes**

**Covers/Sleeves**

**Drain Tubes**

**Material Transfer**

The next page will detail how you can get your own parts made, including our free, custom sample program. Our minimum orders are affordable for even a small manufacturer, but we do not make one-off parts for end users.





**CRUSHPROOF TUBING CO. 800.654.6858 [crushproof.com](http://crushproof.com)**

## Custom Tubing Option

MADE IN THE USA



Minimum orders as low as 100 pieces.  
No tooling costs. Free custom samples.

### OEM SOLUTIONS

1. Go to our website.
2. Fill out our Build-A-Hose form (below) and...



**CRUSHPROOF<sup>®</sup> TUBING CO.**

1.800.654.6858

[contact@crushproof.com](mailto:contact@crushproof.com)

[Home](#)

[Build-A-Hose](#)

[Custom OEM Hoses](#)

[Exhaust Hoses](#)

[Contact Us](#)

## Build A Hose

Made in the USA | ISO 9001:2008 Certified

### Rubber Type

- ☐ Not Sure
- ☐ EPDM
- ☐ Nitrile
- ☐ Butyl
- ☐ Neoprene
- ☐ Specialty


### Hose Style

- ☐ Annular Spaced [View in 3D](#)
- ☐ Spiral Spaced [View in 3D](#)
- ☐ Annular Stretch [View in 3D](#)
- ☐ Spiral Stretch [View in 3D](#)
- ☐ Corded
- ☐ Compress Corded

### Overall Length

Please enter the distance, in inches or millimeters (just be sure to tell us which) you would like the entire tube to be (example: 5" or 2mm)

Overall Length:



### Inside Diameter

Please select the INSIDE DIAMETER that you would like, in inches or metric, for the corrugated or constricted section of your tube. You'll choose the cuff ID's next. We can work with almost any size between 0.375" and 6" (9.5mm to 152mm.)

Inside Diameter:



### Cuff Sizes

Please select the INSIDE DIAMETER that you would like, in inches or metric, for each of the two cuffs. They can be as large or larger than the I.D. of the rest of the tube. Also please select the CUFF LENGTH that you would like, in inches or metric, for each of the two cuffs. They can be as long as you like, or you can have no cuff at all.

Enter Cuff ID #1:



Enter Cuff #1 Length:



Enter Cuff ID #2:



Enter Cuff #2 Length:



### Wall Thickness

Choose the wall thickness that your tube needs. If you are unsure, just take a guess and tell us more in the "Additional Information" section. The circles are not true-to-size. We can make most ID's in most thicknesses, but there are limitations too numerous to list here.



Wall Thickness:

Range from .031 to .155

3. We generate a FREE CAD drawing and make FREE custom samples! It's that easy!

MADE IN AMERICA.



***CRUSHPROOF TUBING CO.***

[www.CRUSHPROOF.com](http://www.CRUSHPROOF.com)